

Headlamps LED , (8G0),(8G1)

From September 2014

**Audi**

Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by AUDI AG. AUDI AG does not guarantee or accept any liability with respect to the correctness of information in this document. Copyright by AUDI AG.




Vehicle Electrical System Control Module

- J519 Vehicle Electrical System Control Module
- ST2 Fuse Panel 2
- ST3 Fuse Panel 3
- SB9 Fuse 9 (On Fuse Panel B)
- SB10 Fuse 10 (On Fuse Panel B)
- SB11 Fuse 11 (On Fuse Panel B)
- SB14 Fuse 14 (On Fuse Panel B)
- T17c 17-Pin Connector, Brown
- T17d 17-Pin Connector, Black
- T17e 17-Pin Connector, Red


44 Ground Connection on A-Pillar, Lower Left

369 Ground Connection 4 (in Main Wiring Harness)

* Refer to Applicable Wiring Diagram for Fuse Positions



- ws = white
- sw = black
- ro = red
- rt = red
- br = brown
- gn = green
- bl = blue
- gr = grey
- li = lilac
- vi = lilac
- ge = yellow
- or = orange
- rs = pink



Light Switch, Instrument Panel and Switch Illumination Dimmer Switch, Rear Fog Lamp Button, Fog Lamp Button, Night Vision System Button, Vehicle Electrical System Control Module

- E1 Light Switch
- E20 Instrument Panel and Switch Illumination Dimmer Switch
- E314 Rear Fog Lamp Button
- E315 Fog Lamp Button
- E680 Night Vision System Button
- J519 Vehicle Electrical System Control Module
- K4 Position Lamp Indicator Lamp
- K13 Rear Fog Lamp Indicator Lamp
- K17 Fog Lamp Indicator Lamp
- L9 Headlamp Switch Illumination Bulb
- ST2 Fuse Panel 2
- SC8 Fuse 8 (On Fuse Panel C)
- T4af 4-Pin Connector, Black
- T32c 32-Pin Connector

45 Ground Connection Behind Instrument Panel, Center

199 Ground Connection 3 (in Instrument Panel Wiring Harness)

* Refer to Applicable Wiring Diagram for Fuse Positions

- ws = white
- sw = black
- ro = red
- rt = red
- br = brown
- gn = green
- bl = blue
- gr = grey
- li = lilac
- vi = lilac
- ge = yellow
- or = orange
- rs = pink

Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by AUDI AG. AUDI AG does not guarantee or accept any liability with respect to the correctness of information in this document. Copyright by AUDI AG.

1451-6870302201






A31	Left LED Headlamp Power Output Module 1
J519	Vehicle Electrical System Control Module
MX1	Left Front Headlamp, On the Left Headlamp
M51	Left Stationary Cornering Lamp
ST1	Fuse Panel 1
SB6	Fuse 6 (On Fuse Panel B)
SB12	Fuse 12 (On Fuse Panel B)
T2ra	2-Pin Connector
T3dq	3-Pin Connector
T5cd	5-Pin Connector
T14c	14-Pin Connector, Black
T17c	17-Pin Connector, Brown
T34a	34-Pin Connector
V48	Left Headlamp Range Control Adjustment Motor
V407	Left Headlamp Fan

- * Refer to Applicable Wiring Diagram for Fuse Positions
- *2 Data Bus Wire (CAN Bus)
- *3 Magnetic Core
- *4 For RHD Vehicles

Vehicle Electrical System Control Module

- A31 Left LED Headlamp Power Output Module 1
- G703 Left Headlamp Temperature Sensor 2
- J519 Vehicle Electrical System Control Module
- MX1 Left Front Headlamp, On the Left Headlamp
- M29 Left Low Beam Headlamp Bulb
- M30 Left High Beam Headlamp Bulb
- T2gy 2-Pin Connector
- T2qz 2-Pin Connector
- T2re 2-Pin Connector
- T3do 3-Pin Connector
- T3dv 3-Pin Connector
- T6cn 6-Pin Connector
- T14g 14-Pin Connector, Black
- T34a 34-Pin Connector




- ws = white
- sw = black
- ro = red
- rt = red
- br = brown
- gn = green
- bl = blue
- gr = grey
- li = lilac
- vi = lilac
- ge = yellow
- or = orange
- rs = pink

Vehicle Electrical System Control Module

- A31 Left LED Headlamp Power Output Module 1
- A32 Left LED Headlamp Power Output Module 2
- J519 Vehicle Electrical System Control Module
- L176 Left Daytime Running Lamp and Position Lamp LED Module
- MX1 Left Front Headlamp, On the Left Headlamp
- M30 Left High Beam Headlamp Bulb
- T6cy 6-Pin Connector
- T8br 8-Pin Connector
- T14c 14-Pin Connector, Black
- T14g 14-Pin Connector, Black
- T17c 17-Pin Connector, Brown
- T17e 17-Pin Connector, Red
- T20o 20-Pin Connector
- T34a 34-Pin Connector

Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by AUDI AG. AUDI AG does not guarantee or accept any liability with respect to the correctness of information in this document. Copyright by AUDI AG.



- ws = white
- sw = black
- ro = red
- rt = red
- br = brown
- gn = green
- bl = blue
- gr = grey
- li = lilac
- vi = lilac
- ge = yellow
- or = orange
- rs = pink


Vehicle Electrical System Control Module

- A32 Left LED Headlamp Power Output Module 2
- G702 Left Headlamp Temperature Sensor 1
- J519 Vehicle Electrical System Control Module
- L176 Left Daytime Running Lamp and Position Lamp LED Module
- MX1 Left Front Headlamp, On the Left Headlamp
- M5 Left Front Turn Signal Bulb
- M33 Left Front Side Marker Lamp Bulb
- T2kb 2-Pin Connector
- T3dn 3-Pin Connector
- T4gf 4-Pin Connector
- T8bq 8-Pin Connector
- T14f 14-Pin Connector
- T17c 17-Pin Connector, Brown
- T20o 20-Pin Connector

- 44 Ground Connection on A-Pillar, Lower Left
- 367 Ground Connection 2 (in Main Wiring Harness)
- * For USA Only

Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by AUDI AG. AUDI AG does not guarantee or accept any liability with respect to the correctness of information in this document. Copyright by AUDI AG.

- ws = white
- sw = black
- ro = red
- rt = red
- br = brown
- gn = green
- bl = blue
- gr = grey
- li = lilac
- vi = lilac
- ge = yellow
- or = orange
- rs = pink






- * Refer to Applicable Wiring Diagram for Fuse Positions
- *2 Magnetic Core
- *3 Data Bus Wire (CAN Bus)
- *4 For RHD Vehicles


Vehicle Electrical System Control Module, Right Front Headlamp

- A27 Right LED Headlamp Power Output Module 1
- G705 Right Headlamp Temperature Sensor 2
- J519 Vehicle Electrical System Control Module
- MX2 Right Front Headlamp, On the Right Headlamp
- M31 Right Low Beam Headlamp Bulb
- M32 Right High Beam Headlamp Bulb
- T2gy 2-Pin Connector
- T2qz 2-Pin Connector
- T2rf 2-Pin Connector
- T3do 3-Pin Connector
- T3dv 3-Pin Connector
- T6cv 6-Pin Connector
- T14h 14-Pin Connector, Black
- T34a 34-Pin Connector



- ws = white
- sw = black
- ro = red
- rt = red
- br = brown
- gn = green
- bl = blue
- gr = grey
- li = lilac
- vi = lilac
- ge = yellow
- or = orange
- rs = pink

Vehicle Electrical System Control Module, Right Front Headlamp




- A27 Right LED Headlamp Power Output Module 1
- A28 Right LED Headlamp Power Output Module 2
- J519 Vehicle Electrical System Control Module
- L177 Right Daytime Running Lamp and Position Lamp LED Module
- MX2 Right Front Headlamp, On the Right Headlamp
- M32 Right High Beam Headlamp Bulb
- T6cy 6-Pin Connector
- T8cb 8-Pin Connector
- T14d 14-Pin Connector, Black
- T14h 14-Pin Connector, Black
- T17e 17-Pin Connector, Red
- T20o 20-Pin Connector
- T34a 34-Pin Connector

Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by AUDI AG. AUDI AG does not guarantee or accept any liability with respect to the correctness of information in this document. Copyright by AUDI AG.


- ws = white
- sw = black
- ro = red
- rt = red
- br = brown
- gn = green
- bl = blue
- gr = grey
- li = lilac
- vi = lilac
- ge = yellow
- or = orange
- rs = pink

A28	Right LED Headlamp Power Output Module 2
G704	Right Headlamp Temperature Sensor 1
J519	Vehicle Electrical System Control Module
L177	Right Daytime Running Lamp and Position Lamp LED Module
MX2	Right Front Headlamp, On the Right Headlamp
M7	Right Front Turn Signal Bulb
M34	Right Front Side Marker Lamp Bulb
T2kb	2-Pin Connector
T3dw	3-Pin Connector
T4gg	4-Pin Connector, Black
T8ca	8-Pin Connector
T14y	14-Pin Connector
T17c	17-Pin Connector, Brown
T17e	17-Pin Connector, Red
T20o	20-Pin Connector

- * For USA Only
*2 Running Change



Copyright by Audi AG. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by Audi AG. Audi AG does not guarantee or accept any liability with respect to the correctness of information in this document. Copyright by Audi AG.




Headlamp Range Control Module, Vehicle Electrical System Control Module

- J431 Headlamp Range Control Module
- J519 Vehicle Electrical System Control Module
- ST1 Fuse Panel 1
- SB1 Fuse 1 (On Fuse Panel B)
- T26 26-Pin Connector

- B281 Positive Connection 5 (15a) (in Main Wiring Harness)
- C67 CAN Bus High Connection (in Headlamp Wiring Harness)
- C68 CAN Bus Low Connection (in Headlamp Wiring Harness)
- * Refer to Applicable Wiring Diagram for Fuse Positions
- *2 Data Bus Wire (CAN Bus)

Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by AUDI AG. AUDI AG does not guarantee or accept any liability with respect to the correctness of information in this document. Copyright by AUDI AG.

- ws = white
- sw = black
- ro = red
- rt = red
- br = brown
- gn = green
- bl = blue
- gr = grey
- li = lilac
- vi = lilac
- ge = yellow
- or = orange
- rs = pink



Left Rear Level Control System Sensor, Left Front Level Control System Sensor, Vehicle Electrical System Control Module, Left Signature Lighting Bulb, Right Signature Lighting Bulb

- G76 Left Rear Level Control System Sensor
- G78 Left Front Level Control System Sensor
- J519 Vehicle Electrical System Control Module
- L275 Left Signature Lighting Bulb
- L276 Right Signature Lighting Bulb
- T4at 4-Pin Connector
- T4gq 4-Pin Connector, Gray
- T4gr 4-Pin Connector, Gray
- T4s 4-Pin Connector
- T17d 17-Pin Connector, Black
- T17e 17-Pin Connector, Red
- T17f 17-Pin Connector, In the Left A-Pillar Connector Station, White
- T32c 32-Pin Connector


366 Ground Connection 1 (in Main Wiring Harness)

609 Connection 5 (in Interior Wiring Harness)

610 Connection 6 (in Interior Wiring Harness)

* For Vehicles with Hybrid Drive

ws = white
 sw = black
 ro = red
 rt = red
 br = brown
 gn = green
 bl = blue
 gr = grey
 li = lilac
 vi = lilac
 ge = yellow
 or = orange
 rs = pink



Vehicle Electrical System Control Module, Data Bus on Board Diagnostic Interface, Comfort System CAN Bus High Wire Junction, Extended CAN Bus High Wire Junction, Comfort System CAN Bus High Wire Junction 2

- J519 Vehicle Electrical System Control Module
- J533 Data Bus on Board Diagnostic Interface
- T16c 16-Pin Connector, Brown
- T32b 32-Pin Connector
- T46a 46-Pin Connector
- T46b 46-Pin Connector
- TV34 Comfort System CAN Bus High Wire Junction
- TV38 Comfort System CAN Bus Low Wire Junction
- TV41 Extended CAN Bus High Wire Junction
- TV42 Extended CAN Bus Low Wire Junction
- TV80 Comfort System CAN Bus High Wire Junction 2
- TV83 Comfort System CAN Bus Low Wire Junction 2

B108 CAN Bus Extended High Connection 1 (in Main Wiring Harness)

B109 CAN Bus Extended Low Connection 1 (in Main Wiring Harness)

* Data Bus Wire (CAN Bus)

ws = white
sw = black
ro = red
rt = red
br = brown
gn = green
bl = blue
gr = grey
li = lilac
vi = lilac
ge = yellow
or = orange
rs = pink